


Distillate

Sample ID: 1906BSD0501.1491
Strain: Distillate
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: 5 g; Batch: 5 g

Produced:
Collected:
Received: 06/24/2019
Completed: 06/25/2019
Batch#: DIST062519

Client:
High in Heels, LLC
Lic. #
15711 Condon Ave
Lawndale, CA 90260



ND <i>ND</i>	27.21% <i>272.15 mg/g</i>	27.21% <i>272.15 mg/g</i>
Total THC	Total CBD	Total Cannabinoids

Summary
 Batch Cannabinoids Complete Complete

Cannabinoids by HPLC-UV

Analyte	LOD	LOQ	Mass	Mass
Complete	mg/g	mg/g	%	mg/g
THCa	0.001	0.0025	ND	ND
Δ9-THC	0.001	0.0025	ND	ND
CBDa	0.001	0.0025	ND	ND
CBD	0.001	0.0025	27.21	272.1
CBN	0.001	0.0025	ND	ND
CBG	0.001	0.0025	ND	ND
Total			27.21	272.1

Date Tested: 06/25/2019

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND means not detected by the level of detection <0.00%.

Terpenes by GCMS/MS & GC-FID

Not Tested

Analyte	LOD	LOQ	Mass	Mass	Analyte	LOD	LOQ	Mass	Mass
---------	-----	-----	------	------	---------	-----	-----	------	------

Date Tested:
Notes:



ISO 17025:2017 Accredited



Hinaxi Patel
 Technical Director
 06/25/2019

Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com



All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.